Group Color: ______ Subgroup Number: ______ Team/Subgroup Symbol: ______ /_____



How Science Works

Grade 6

Module 1

Class Question:

Scientist (Your Name): _____

Teacher's Name: ______

SciTrek Volunteer's Name: _____

VOCABULARY

Science: The study of the material world using human reason. The scientific method is the way humans reason and apply logic to data to help gain knowledge of the world.

- **Observation:** A description using your five senses. This could include contents, mass, size, color, temperature, smell, texture ...
- **Opinion:** Something you believe or feel. Not a fact or observation.
- Inference: A guess based on past experiences.
- **Testable Question:** A question for which an experiment can be designed to answer.
- Non-Testable Question: A question for which an experiment cannot be designed to answer. For example, questions involving things that cannot be measured/observed or things that are not well defined/opinions.
- **Experimental Set-Up:** The materials, changing variable, and controls that are needed for an experiment.
- **Experiment:** A test or trial to discover something unknown.
- **Procedure:** A set of steps to conduct an experiment.
- **Controls:** The variables that are not changed in an experiment.
- Class Control: A control that everyone in the class has the same value for.
- **Team Control:** A control that everyone in a team has the same value for, but values vary for different teams within a class.
- **Subgroup Control:** A control that everyone in a subgroup has the same value for, but values vary for different subgroups within a team.
- Changing Variable (Independent Variable): The variable that is purposely changed in an experiment.
- **Results/Data (Dependent Variable):** The measurements/observations of the experiment, which are influenced/determined by the changing variable.
- **Prediction:** What you expect to happen based off of previous measurements/observations.
- Scientific Practices: A series of activities that scientists participate in to both understand the world around them and to communicate their results with others. The specific practice worked on in this module is analyzing and interpreting data.
- Technique: A method for a specific task.
- **Conclusion:** A claim supported by data.
- **Claim:** A statement that can be tested. The explanation of the data, the first part of a conclusion.
- Data: Evidence collected from experiment(s) (measurements or observations); the second part of a conclusion.
- **Analysis:** A scientific practice involving examining data critically and looking for patterns and trends.
- **Trend:** When data changes in one general direction; can go up <u>or</u> down.
- **Trend Line:** A line drawn on a graph to represent the direction of a trend
- **Pattern:** When data repeats in a predictable manner; can go up, down, and up again.
- **Solar Panel:** A piece of equipment designed to absorb the sun's rays as a source of energy for generating electricity or heat.
- **Angle:** A measurement telling the separation between two lines that meet at one point.
- **Multimeter:** A tool used to measure voltage, current, or resistance. For this module we will use it to measure the current and voltage produced by a solar panel.
- Current: A measure of the amount of flowing electricity. The units for current in this module are milliamps (mA).
- Voltage: A measure of the force that makes electricity move. The units for voltage are volts (V).
- **Energy:** The ability of an object to do work. Energy can be transferred, but it cannot be created or destroyed.
- **Power:** A measure of the energy of a system over time, calculated by multiplying the current and voltage together. The units for power in this module are milliwatts (mW).
- o **Range:** The difference between the biggest and smallest measurements.
- **Renewable Energy:** Energy from some source that can be replenished within a human's lifetime.



OBSERVATIONS

Experimental Set-Up:

Draw a picture of the experimental set-up below and label the parts of the system.

Other observations of the experimental set-up:

Describe what happened during the experiment.	Solar Panel N	leasurements
	Current (mA)	
	Voltage (V)	
When the red LED was hooked up to the solar panel it	lit did (circle one)	not light .
When the blue LED was hooked up to the solar panel it	lit did	not light .

(circle one)

TECHNIQUE

Calculating Power

One way to measure the energy of our system over time is by calculating the **power** of the system. Power (P) can be found by multiplying the current (I) measured in milliamps (mA) and voltage (V) measured in volts (V) of the system together:

 $P = I \times V$

For this experiment, power is calculated in units called **milliwatts** (mW).

Directions: Calculate the power produced by each system. Round your answer to the nearest tenth (Ex: 9.5 mW).



1. What does our experiment tell us about the red and blue LEDs?

2. What happens when the blue LED is touched to the round batteries? _______

3. What happens when the blue LED is touched to the rectangular battery? ______

4. Why does this happen?

5. What does this tell us about lights/devices? _____

6. How can we monitor the amount of power used by a device? ______

VARIABLES

Variable	How will changing this variable affect the power produced by a solar panel?			

Experimental Considerations:

- 1. You will only have access to the materials on the materials page.
- 2. If you are not changing lamp height, the lamp height must be 14 cm.
- 3. See materials page for restrictions on experimental design.

Changing Variable(s) (Independent Variable(s))

You will get to perform two experiments. For your first experiment, decide which variable(s) (max two) you would like to test. For each changing variable you select, discuss with your subgroup why you think that variable will affect the power produced by the solar panel.

Changing Variable 1: ______ Discuss with your subgroup how you think **changing variable 1** will affect the power produced by the solar panel.

Changing Variable 2 (optional): ______ Discuss with your subgroup how you think **changing variable 2** will affect the power produced by the solar panel.

QUESTION

Question our subgroup will investigate:

If we change the _________
insert each changing variable (independent variable)

?

SciTrek Member Approval:

Get a materials page from your volunteer and fill it out before moving onto the experimental set-up.

EXPERIMENTAL SET-UP

Write your changing variable(s) (Ex: panel angle) and the values (Ex: 45°) you will use for your trials under each solar panel.



2) _____ : _____

Controls (variables you will hold constant):

Write your controls and the values you will use in all your trials (control/value, Ex: power source/solar panel).

Power Source	1	Solar Panel	/	
	1			

SciTrek Member Approval: _____

PROCEDURE

Procedure Note:

Make sure to include all values of your changing variable(s) in the procedure. Ex: For a subgroup that decided to change panel angle one step would be: Place the panel at an angle of A) 30°, B) 45°, and C) 60°.

1.	 	 	
2.	 	 	
3.	 	 	
Л			
ч•	 	 	
5.		 	
6.	 	 	
7.	 	 	
8			
0.	 	 	

RESULTS

Table

Fill out the table for each of your trials. For the variables that remain constant, write the value in *Trial A*. Then, draw an arrow through each box indicating the variable is a control. Remember to record measurements to the nearest tenth (Ex. 4.1 mA) and calculate power to the nearest tenth (Ex. 13.2 mW).

	Variables	Trial A	Trial B	Trial C
	Power Source:	Solar panel ——		
	Panel Angle:			
	Shading Amount:			
	Temperature:			
R	oom Temp:			
_	other variable			
	Predictions	Trial A	Trial B	Trial C
Pu givo "L"	t an "S" in the trial that will e the smallest power and an ' in the trial that will give the largest power.			
Da	ta and Calculations	Trial A	Trial B	Trial C
ements:	Current (mA):			
Measur	Voltage (V):			
Calculations:	Power (mW): $P = I \times V$			

The independent variable(s) is(are) the changing variable(s) and the dependent variables are the current and voltage.

- 1. **Directions:** Fill in the missing definitions.
 - Conclusion:

a)

- **Claim:** A statement that can be tested. The explanation of the data, the first part of a conclusion.
 - Ex: Increased amounts of fertilizer runoff in lakes kills wildlife.
 - A claim in a scientific experiment often includes the ______.
- **Data:** Evidence collected from experiment(s) (measurements or observations), the second part of a conclusion.
 - Ex: We observed that in lakes with large amounts of fertilizer runoff, there were no living organisms, while in lakes with a little fertilizer runoff, there were many living organisms.
 - Data in a scientific experiment includes ______ or ______.
 - Data statements also often include values of the ______.
- 2. Directions: On the results tables and conclusions below, underline <u>control(s)</u>, circle <u>changing variable(s)</u> and box information about <u>data collection</u>. Then, decide if the possible conclusion is correct or not.

	Variables	Trial A	Trial B	Trial C	Trial D
	Power Plant Type:	Coal			
	Substance Amount:	3,000 Mg			
N	umber of Generators:	2	3	4	5
	Water Amount:	4,500 L			
	Number of Workers:	10			
	Data	Trial A	Trial B	Trial C	Trial D
nts/ ns:	Power:	103 MW	126 MW	135 MW	150 MW
'emer vatior		Air around	Air around	Air around	Air around
easur bsen	Other:	plant is	plant is	plant is	plant is
ĕ O		dark brown	dark brown	dark brown	dark brown

Possible Conclusion: The higher the number of generators, the great the power produced, because when 2 generators were used, 103 MW of power were produced, and when 5 generators were used, 150 MW of power were produced.

Is this a correct conclusion? YES NO I DON'T KNOW

If NO, what is wrong with the conclusion? ______

1	٦
•	4
	,

	Variables	Trial A	Trial B	Trial C	Trial D
	Power Plant Type:	Natural Gas			
	Substance Amount:	3,200 Mg 🔹			
Ν	umber of Generators:	3 •			
	Water Amount:	4,200 L 🗖			
	Number of Workers:	8	10	12	14
	Data	Trial A	Trial B	Trial C	Trial D
its/ is:	Power:	140 MW	139 MW	140 MW	141 MW
remer vatior		Air around	Air around	Air around	Air around
easu)bser	Other:	plant is	plant is	plant is	plant is
ΥO		clear	clear	clear	clear

Possible Conclusion: The more people working at the power plant, the more power produce, because when 8 people were working, 140 MW of power were produced, and when 14 people were working, 141 MW of power were produced.

Is this a correct conclusion? YES NO I DON'T KNOW

If NO, what is wrong with the conclusion? ______

b)

c)

	Variables	Trial A	Trial B	Trial C	Trial D
	Power Plant Type:	Coal -			► ►
5	Substance Amount:	2,700 Mg	3,100 Mg	3,600 Mg	4,200 Mg
Νι	Imber of Generators:	3 -			
	Water Amount:	4,500 L -			
N	Lunch an of Manlana.	40 -			
	Number of Workers:	10 -			
	Data	Trial A	Trial B	Trial C	Trial D
nts/	Data Power:	Trial A 131 MW	Trial B 140 MW	Trial C 147 MW	Trial D
rements/	Data Power:	Trial A 131 MW Air around	Trial B 140 MW Air around	Trial C 147 MW Air around	Trial D 155 MW Air around
easurements/	Data Power: Other:	Trial A 131 MW Air around plant is light	Trial B 140 MW Air around plant is	Trial C 147 MW Air around plant is	Trial D 155 MW Air around plant is

Possible Conclusion: The greater the amount of coal burned in the power plant, the more polluted the air, because we observed when 2,700 Mg of coal were burned, the air was light brown, and when 4,200 Mg of coal were burned, the air was dark brown.

Is this a correct conclusion?	YES	NO	I DON'T KNOW

If NO, what is wrong with the conclusion? ______

d)

e)

	Variables	Trial A	Trial B	Trial C	Trial D
	Power Plant Type:	Natural Gas -			
	Substance Amount:	3,100 Mg 🗕			
N	umber of Generators:	3 •			
	Water Amount:	4,200 L	4,400 L	4,600 L	4,800 L
	Number of Workers:	10 -			
	Data	Trial A	Trial B	Trial C	Trial D
its/ is:	Power:	155 MW	147 MW	140 MW	128 MW
'emer		Air around	Air around	Air around	Air around
easui	Other:	plant is	plant is	plant is	plant is
≥ O		clear	clear	clear	clear

Possible Conclusion: When 4,200 L of water were used, 155 MW of power were produced, and when 4,800 L of water were used, 128 MW of power were produced, because the greater the water amount the smaller the amount of power produced.

Is this a correct conclusion? YES NO I DON'T KNOW

If NO, what is wrong with the conclusion? ______

	Variables	Trial A	Trial B	Trial C	Trial D
	Power Plant Type:	Coal			
	Substance Amount:	2,800 Mg	3,200 Mg	3,600 Mg	4,000 Mg
N	umber of Generators:	3			
	Water Amount:	4,000 L	4,200 L	4,500 L	4,700 L
1	Number of Workers:	8			
· ·		-			
	Data	Trial A	Trial B	Trial C	Trial D
nts/	Data Power:	Trial A 130 MW	Trial B 139 MW	Trial C 145 MW	Trial D 155 MW
rements/ vations:	Data Power:	Trial A 130 MW Air around	Trial B 139 MW Air around	Trial C 145 MW Air around	Trial D 155 MW Air around
easurements/ Dbservations:	Data Power: Other:	Trial A 130 MW Air around plant is	Trial B 139 MW Air around plant is	Trial C 145 MW Air around plant is	Trial D 155 MW Air around plant is

Possible Conclusion: The greater the water amount used in the power plant, the more power produced, because when 4,000 L of water were used 130 MW of power were produced, and when 4,700 L of water were used, 155 MW of power were produced.

Is this a correct conclusion? YES NO I DON'T KNOW

If NO, what is wrong with the conclusion? ______

3. How many changing variables can you have in order to make a conclusion? ______

CONCLUSION

Making a Conclusion from Your Data

How many changing variables did you have in your experiment?

Can you make a conclusion from your data?

NO

IF NO	
Why?	

IF YES	
We can conclude	claim
because	data (measurements/observations/calculations)

SciTrek Member Approval: _____

TECHNIQUE Trend Lines

Trend lines are used to find trends in data on graphs.

How to draw a trend line:

- 1. Position your ruler on the graph so it goes along with the direction of the points, and places half the points above the ruler and half the points below the ruler. When positioned correctly, all points should be as close as possible to the ruler.
- 2. Trace along the ruler with your pencil. Always extend trend lines to both edges of the graph.



How to interpret trend lines:

- If the line is increasing (), or decreasing (), there is a trend.
- If the line is flat (), there is no trend.
- **1. Directions:** Answer the questions using Graphs **1** and **2**.

a) Which graph(s) represent a changing variable that affects the data? 1	2
--	---

b) Which <u>changing variable</u> affects the data?

• Describe the trend by filling in the following sentence frame:



% of

Workers

% of

Natural Gas

TECHNIQUE

Designing Experiments

Four UCSB engineers were studying the amount of power being produced by natural gas power plants by examining natural gas amount, water amount, number of workers, and number of generators. They all picked water amount as their changing variable. Two engineers worked independently, and they used different control values for the natural gas amount, number of workers, and number of generators (Graph 1). The other two engineers collaborated, and they picked the same control values for the natural gas amount, number of workers, and number of generators (Graph 1). The other two engineers collaborated, and they picked the same control values for the natural gas amount, number of workers, and number of generators (Graph 2).



3. Directions: Annotate the graphs and draw trend lines for each experiment.

a) Does percentage of water affect the power of the power plant? YES NO

If YES, describe the trend by filling in the following sentence frame:

- As percentage of water increases, the power _
- b) What is the power for a power plant that uses 70% of the water, burns 3,200 Mg of natural gas,

has 8 workers, and had 2 generators? **Expected Power:**

- c) Can you predict what the power would be if the engineers studied a power plant that used 60% of the water, burned 3,200 Mg of natural gas, had 10 workers, and 3 generators in the power plant?
 YES NO
 - If YES, which graph is more useful to make your prediction? 1 2
 - Expected Power:

d) What does this mean for your experimental design?

SCIENTIFIC PRACTICES

Analyzing & Interpreting Data

A large group of engineers collaborated by dividing into three teams to study the effects of water amount, natural gas amount, number of workers, and number of generators on the power of natural gas power plants. The three teams agreed to keep the number of generators running in the plants constant at 3 for ALL experiments/trials. Now, they need your help to analyze the data.

1. Directions: Annotate the graph, draw trend lines for each experiment, and label trend lines with subgroup control values.



Controls		
Engineer	Water	Number of
Symbol	Amount	Workers
	4,000 L	9
0	4,400 L	9
0	4,800 L	9

- a) Does percentage of natural gas affect the power of the plant? **YES NO** If YES, describe the trend by filling in the following sentence frame:
 - As the percentage of natural gas increases, the power
- b) What power would you expect to calculate with the following specifications?

% of Natural Gas	50%
Water Amount	4,000 L
Number of Workers	9

What experiment(s) do you need to look at?





2. Directions: Annotate the graph, draw trend lines for each experiment, and label trend lines with subgroup control values.



Controls		
Engineer	Water	Natural Gas
Symbol	Amount	Amount
•	4,200 L	2,000 Mg
\diamond	4,200 L	2,500 Mg
\diamond	4,200 L	3,000 Mg

a) Does percentage of workers affect the power of the plant? YES NO

If YES, describe the trend by filling in the following sentence frame:

As the percentage of workers increases, the power ______

b) What power would you expect to calculate with the following specifications?

Natural Gas Amount	2,750 Mg
Water Amount	4,200 L
% of Workers	30%

What experiment(s) do you need to look at?



Expected Power:

3. Directions: Annotate the graph, draw trend lines for each experiment, and label trend lines with subgroup control values.



Controls		
Engineer Symbol	Natural Gas Amount	Number of Workers
	2,500 Mg	10
\triangle	3,000 Mg	10
Δ	3,500 Mg	10

- a) Does percentage of water affect the power of the plant? YES NO If YES, describe the trend by filling in the following sentence frame:
 - As the percentage of water increases, the power ______
- b) What power would you expect to calculate with the following specifications?

Natural Gas Amount	3,400 Mg
% of Water	75%
Number of Workers	8

What experiment(s) do you need to look at?



Expected Power:

A natural gas power plant wants to know if the trends in their data can be used to predict the power for different combinations of natural gas amount, and water amount, which have not been tested yet. Use teams' 1 and 3 graphs to help the power plant interpret the data.

4. Directions: Annotate the graph, draw trend lines for each experiment, and label trend lines with subgroup control values.



Controls		
Engineer	Water	Number of
Symbol	Amount	Workers
•	4,000 L	9
0	4,400 L	9
0	4,800 L	9

Controls		
Engineer Symbol	Natural Gas Amount	Number of Workers
	2,500 Mg	10
Δ	3,000 Mg	10
Δ	3,500 Mg	10

a) Using <u>both</u> of the graphs above, what power would you expect to calculate with the following specifications?

Natural Gas Amount	2,600 Mg	~45%
Water Amount	4,600 L	~60%
Number of Workers	8	~43%

Team 1 Prediction: ______

Team 3 Prediction: ____



Λ

Δ

Team 3:



TECHNIQUE

Calculating Percentages

Percentages are used to compare a portion of a system to a whole system. This is done by making the amount of the whole system equal to 100%. The closer the value is to 100%, the larger the portion of the system.

How to calculate a percentage:

Step 1. Define your system:

- a. Determine the number you want to change into a percent (*value*).
- b. Determine the smallest number in your system (*min value*).
- c. Determine the largest number in your system (*max value*).

Step 2. Calculate the range:

range = max value - min value

Step 3. Calculate the percentage:

Round the percentage to the nearest whole number. Percentages have units of %.

% changing variable = $100 \times \left(\frac{value - min value}{range}\right)$

Directions: Find the percent for each of the following values in the table.

1) Panel Angle: 50°	2) Shading Amount: $\frac{6}{8}$
Allowed values f	or each variable:
Step 1: Panel Angle: (30° – 75°)	Shading Amount: $\left(\frac{0}{8} - \frac{8}{8}\right)$
Step 2:	
Range = –	Range = –
Step 3: =	=
%Angled =	%Shaded =
100× ()	100× ()
=	=

Our subgroup is on team:

Variables	Min Value	Max Value
Panel Angle:	30°	75°
Shading Amount:	$\frac{0}{8}$	$\frac{8}{8}$
Temperature:	19°C	44°C

The range for our changing variable is:

range = max value - min value

1. As a subgroup select and record the values of your changing variable in the table below.

Team Temperature: Choose any whole number temperatures between 26°C and 44°C. You may also choose room temperature (ranges from 19°C - 26°C) as one of your four values. If you select this value, write "RT" on the line; you will record the numerical value of the room temperature and determine the percent temperature on the experiment day.

2. Use the following equation to calculate the percent of your change variable values.

% changing variable =
$$100 \times \left(\frac{value - min \, value}{range}\right)$$



QUESTION

Question our subgroup will investigate:

what will happen to the _____

insert what you are calculating

EXPERIMENTAL SET-UP

Write your changing variable(s) (Ex: panel angle) and the values (Ex: 45°) you will use for your trials under each solar panel.

Changing Variable(s):		D	E	F	G
1)	:				
2)	:				

Why did your subgroup choose these values of the changing variable?

Controls (variables you will hold constant):

Write your controls and the values you will use in all your trials (control/value, Ex: power source/solar panel).

Class and Team Controls: (same values between subgroups)	Subgroup Control: (differenet values between subgroups)
Power Source / Solar Panel	/
/	
/	

SciTrek Member Approval:

?

PROCEDURE

Procedure Note:

Make sure to include all values of your changing variable(s) in the procedure. Ex: For a subgroup that decided to change panel angle one step would be: Place the panel at an angle of D) 30° , E) 45° , F) 60° , and G) 75° .

1.	
2.	
3.	
-	
4.	
5.	
6.	
7.	
8.	

SciTrek Member Approval: _____

RESULTS

Table

Check the box of your subgroup control and write your subgroup symbol on the line. Then, fill out the table for each of your trials. For the variables that remain constant, write the value in *Trial D*. Then, draw an arrow through each box indicating the variable is a control. Remember to record measurements to the nearest tenth (Ex. 4.1 mA), calculate power to the nearest tenth (Ex. 13.2 mW), and percentages to the nearest whole number (Ex. 75%).

Subgroup Control:
Panel Angle
Shading Amount
Temperature
Subgroup Symbol: _____

	Variables		Trial D	Trial E	Trial F	Trial G
	Power Source:		Solar panel			
ection.		Panel Angle:				
ata collo		Shading Amount:				
out di		Temperature:				
ion abo	R	oom Temp:				
ormati		other variable				
x inf		Predictions	Trial D	Trial E	Trial F	Trial G
les and bo	Put the the	an "S" in the trial that will give e smallest power and an "L" in e trial that will give the largest power.				
ariab	D	ata and Calculations	Trial D	Trial E	Trial F	Trial G
anging v	ements:	Current (mA):				
circle	Measure	Voltage (V):				
<u>ontrols</u> , (ns:	Percent Changing Variable: (get values from pg. 20)				
Underline <u>c</u>	Calculatio	Power (mW): $P = I \times V$				

The independent variable is the changing variable and the dependent variables are the current and voltage.

RESULTS Graph

Set up your graph. (Check off the steps as you complete them.)

- □ Write the title for your graph by filling in the blanks.
- □ Label the y-axis (vertical) with what you calculated, including units (Ex: Power (mW)).
- □ Label the x-axis (horizontal) with your modified name of changing variable, including units (Ex: Percent Angled (%)).
- □ Select your subgroup control in the legend by checking the appropriate box. Then, put <u>your</u> subgroup control value next to your subgroup symbol.

Plot your data.

- □ On the x-axis, circle your 4 changing variable values (as percentages). If a value is not there, write it in.
- □ Starting with the smallest changing variable value, determine the power, and put your subgroup symbol at the appropriate level. Write the power next to the point.
- \Box Once you have plotted all 4 points, draw a trend line that best fits your data.

Plot the data collected by the other subgroup in your team.

- □ Complete the legend for the other subgroup in your team by writing their subgroup control value next to their subgroup symbol.
- □ Graph the other subgroup's 4 points using their symbol as the markers (**do not label these points**). Then, draw a trend line that best fits their data.



CONCLUSION

Generate a <u>claim</u> about how your changing variable affected your team's results. (Ex: The larger the size of the solar panel the larger the power produced.)	We can conclude
What <u>data</u> do you have to support your claim? (Remember to include your calculations, <u>not</u> trial letters.)	because

I acted like a scientist when _____

TEAM PREDICTIONS

Use your team graph to predict the power for each subgroup if you were to use 55% of your changing variable. Write your predictions in the table below.

Percent Changing Variable:			
55%			
Subgroup Symbol	Prediction		
0			
Δ			

NOTES ON PRESENTATIONS

What variables affect the power produced by a solar panel?

	Chading Amount			
Percent				
Changing Variable:	Panel Angle			
	Temperature			
Power (mw):				
Question				
Summary				
		·····	 	
Percent				
Changing Variable	□ Panel Angle			
	Temperature			
Power (mw):				
• • •				
Question:			 	
Summary:				
				· · · · · · · · · · · · · · · · · · ·

TIE TO STANDARDS

1. What is **power**?

Predicting Power

We know that different colored LEDs will turn on at different powers. The power required to turn on a green and white LED is given below.

Green LED: 3.6 mW

White LED: 64.6 mW

2. Annotate the graph below, draw trend lines, label subgroup controls, and answer the questions.



3. Using data from the graph, what power would you expect to calculate if you used a solar panel that was $\frac{2}{8}$ shaded, 40% angled (50°), and at room temperature?

	Which ex	kperir	nent(s) s	(Round to th	ctual: ne nearest tenth)		
	0	Δ	Х	Prediction:	Current:	·	
					Voltage:		
					Power: _		
4.	Would th	is be	enough	power to light the <u>green</u> LED?	YES	NO	
5.	Would th	is be	enough	power to light the <u>white</u> LED?	YES	NO	

Power Sources/Uses

- 6. What is **power consumption**?
- 7. What would we need to do if we wanted to monitor the power consumption in this classroom?

8. Why is it useful for us to be able to monitor the power consumption?

9. What is the main way we monitor our monthly power consumption?

In California, we are able to produce power from different energy sources. Some are **renewable** and some are **non-renewable**.

10. Match the definitions:

- Renewable Energy Source
 a. A source that is not replenished as fast as it is consumed (i.e. cannot be replenished within a human's lifetime).
- Non-renewable Energy Source
 A source that produces energy that is not used up or can be replenished within a human's lifetime.

Renewable Energy Sources	Non-renewable Energy Sources

Effects of Power Use

In the table above, circle all energy sources that are burned to obtain energy.

11. When energy sources are burned, ______ is produce.

Scientists have found a link between carbon dioxide (CO_2) levels and temperature. Using the graphs below, determine how the two are related.

Atmospheric Carbon Dioxide Levels	Atmospheric Ter	nperature Anomalies
450 425 400 375 350 325 300 275 250 1600 1650 1700 1750 1800 1850 1900 1950 2000 2050 Year	1.2 1 0.8 0.6 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.0 0.4 0.0 0.4 0.0 0.4 0.0 0.2 0.4 0.0 0.1 0.0 0.1 0.1 0.1 0.1 0.1	940 1960 1980 2000 2020 Year
12. As CO ₂ levels increase, atmospheric temp	perature	, because
13. If California uses non-renewable energy	sources for power, what w	ill happen to the
amount of CO_2 in the atmosphere?	spharic tomporaturos?	
14. What will this mean about average atmo	comes from	
Rrigh	t Choices	
16. How can we minimize our impact on our o	CO ₂ production?	
We will look at 3 different types of lightbulbs	5:	
1 2		
17. Lumens:		
Is this important to hold constant when	n comparing lightbulbs?	YES NO (Circle one)
18. Temperature:		
Is this important to hold constant when	n comparing lightbulbs?	YES NO (Circle one)

Will lightbulbs with the same number of lumens need different amounts of power to light?

Type of lightbulb:			
	LED	CFL	Halogen
Voltage:			
Current:			
Power:			

19. Which bulb is "best?" (circle one) LED CFL Halogen

The box for each of the lightbulbs is shown below. Compare the information on the boxes and answer the questions below.



20.The

lightbulb is best because

EXTRA PRACTICE

Directions:

Circle if the statement is a CLAIM, DATA, or an OPINION.

1.	а.	The Nile River is 6,650 km long and the Amazon River is 6,575 km long.	Claim	Data	Opinion
	b.	McDonalds French fries have more salt than In-N-Out French fries.	Claim	Data	Opinion
	с.	Dogs weighing over 50 lbs. sleep more than smaller dogs.	Claim	Data	Opinion
	d.	30 people used a black pen and 12 people used a blue pen.	Claim	Data	Opinion
	e.	Peaches are the most delicious fruit.	Claim	Data	Opinion
	f.	The car door handle was observed to be warmer after sitting in sunlight.	Claim	Data	Opinion
	g.	The tallest building in the world is in Dubai.	Claim	Data	Opinion
	h.	The more interesting the story, the longer the student will read.	Claim	Data	Opinion

Directions for annotating: Underline <u>control(s)</u>, circle <u>changing variable(s)</u> and box information about data collection.

2. a) Annotate the following results table.

	Variables	Trial 1	Trial 2	Trial 3
	Coal Amount:	1,500 Mg	2,500 Mg	3,500 Mg
	Number of Generators:	3 -		
	Water Amount:	4,400 L 🗕		
	Data	Trial 1	Trial 2	Trial 3
nts/ ns:	Power (MW):	51 MW	67 MW	93 MW
Measureme Observatio	Other:	Air around plant is light brown	Air around plant is brown	Air around plant is dark brown

- b) Can this group make a conclusion? YES NO I DON'T KNOW
- c) Annotate the following possible conclusion.

Possible Conclusion: When less coal is burned in the power plant the air will be less polluted, because when the amount of coal was 1,500 Mg the air around the plant was observed to be light brown, and when the amount of coal was 3,500 Mg the air around the plant was observed to be dark brown.

- d) Is this a correct conclusion for the results table? YES NO I DON'T KNOW If NO, what is wrong with the conclusion?
- 3. a) Annotate the following results table.

	Variables	Trial A	Trial B	Trial C
	Coal Amount:	2,000 Mg	2,500 Mg	3,000 Mg
	Number of Generators:	4 -		
	Water Amount:	4,800 L	4,400 L	4,000 L
	Data	Trial A	Trial B	Trial C
ints/ ins:	Power (MW):	27 MW	60 MW	92 MW
Measureme Observatio	Other:	Air around plant is light brown	Air around plant is light brown	Air around plant is light brown

- b) Can this group make a conclusion? YES NO I DON'T KNOW
- c) Annotate the following possible conclusion.

Possible Conclusion: The less water used in the power plant the higher the power, because when 4,800 L of water were used, 27 MW of power were produced, and when 4, 000 L of water were used, 92 MW of power were produced.

d) Is this a correct conclusion for the results table? YES NO I DON'T KNOW

If NO, what is wrong with the conclusion?

4. a) Annotate the following results table.

	Variables	Trial A	Trial B	Trial C
	Coal Amount:	2,500 Mg 🗕		
	Number of Generators:	4 -		
	Water Amount:	4,800 L	4,400 L	4,400 L
	Data	Trial A	Trial B	Trial C
ints/ ons	Power (MW):	42 MW	58 MW	75 MW
Measureme Observatic	Other:	Air around plant is light brown	Air around plant is light brown	Air around plant is light brown

- b) Can this group make a conclusion? YES NO I DON'T KNOW
- c) Annotate the following possible conclusion.

Possible Conclusion: When the water amount was 4,400 L the power was 75 MW, and when the water amount was 4,800 L the power was 42 MW, because the more water used in the power plant, the lower the power.

d) Is this a correct conclusion for the results table? YES NO I DON'T KNOW If NO, what is wrong with the conclusion? ______.

Directions: Some engineers wanted to know how changing the percentage of water amount would affect the power produced by a power plant. They did 3 experiments, using a different coal amounts each time, and plotted most of their data on a graph. Answer question 5 using the graph below.

5. a) Annotate the graph.

b) Plot the data points from the chart below on the graph using circles (**O**) as markers.

Coal Amount:		
2,500 Mg		
% of Water	Power (MW)	
20	80	
40	60	
60	25	
78	5	

c) Draw trend lines on the graph for each data set.



d) In general, for all coal amounts, what happens as the percentage of water amount increases?

e) What will the power be if a power plant uses 3,000 Mg of coal and 20% water amount?

f) What will the power be if a power plant uses 3,250 Mg of coal and 50% water amount?

CROSSWORD PUZZLE

Directions: Fill out the following crossword puzzle using the clues below.



8. A method for a specific task.

Across

Down

- 3. When data repeats in a predictable manner there is a
- 4. A is an example of an energy efficient lightbulb.
- 6. When nonrenewable energy sources are burned ______ is produced.
- 7. A is used to compare a portion of a system to a whole system.
- 8. If all data points are increasing, there is a .
- 9. What you expect to happen based off of previous measurements/observations.
- 10. The ability of an object to do work.
- 11. A piece of equipment that can convert the light energy from the sun into electrical energy or heat energy.
- 12. A measure of the force that makes electricity move



SciTrek is an educational outreach program that is dedicated to allowing 2nd- 12th grade students to experience scientific practices firsthand. SciTrek partners with local teachers to present student-centered inquiry-based modules that not only emphasize the process of science but also specific grade level NGSS performance expectations. Each module allows students to design, carry out, and present their experiments and findings.

For more information, please feel free to visit us on the web at <u>scitrek.chem.ucsb.edu</u> or contact us by e-mail at scitrekelementary@chem.ucsb.edu.

SciTrek is brought to you by generous support from the following organizations:



If you would like to donate to the program or find out how you can get your company's logo on our notebooks please contact <u>scitrekelementary@chem.ucsb.edu</u>